

## HENC - Polyolefin cable caps (PCC). Adhesive lined heat shrinkable polyolefin cable caps.




### Features & Benefits

- Resistant to common fluids & chemicals
- Rugged installation
- Seals & protects cable ends from the environmental effects

Standard Colours & Colour Codes

Black - 0



### Applications

Adhesive lined heat-shrinkable Polyolefin cable caps used to seal the ends of plastic, rubber and paper insulated cables from moisture, dirt and corrosion. Cable caps are internally coated with a hot-melt adhesive.

They can be used on cables at up to 0.05 MPa internal pressure between -30° and 70°C. Each cable cap covers a wide range of cable sizes as shown in the table below:

Application Range (diameter)	H a (min)	b (max)	P b ±2%	R b ±2%	W b ±10%	Ordering Description
4 - 9	10	3	35	32	2.1	HENC-11/ADH-colour code-PC
7 - 17	20	6	63	58	2.9	HENC-22/ADH-colour code-PC
17 - 34	40	14.5	102	92	3.2	HENC-33/ADH-colour code-PC
28 - 55	63	24	118	105	3.7	HENC-44/ADH-colour code-PC
37 - 65	75	32	133	113	3.7	HENC-48/ADH-colour code-PC
50 - 100	106	45	164	138	4.25	HENC-55/ADH-colour code-PC
75 - 110	120	57	155	133	4.5	HENC-66/ADH-colour code-PC
80-135	148	57	152	-	4.5	HENC-77/ADH-colour code-PC
95 - 195	200	87	164	135	5.0	HENC-200/ADH-colour code-PC

**Notes:**  
**Dimensions in mm**  
**a = as supplied**  
**b = after free recovery**  
**ADH = Adhesive Lined**